



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/743,732	12/24/2003	Stephen Carley	39685-0040	9110
42624	7590	07/06/2005	EXAMINER	
DAVIDSON BERQUIST JACKSON & GOWDEY LLP 4300 WILSON BLVD., 7TH FLOOR ARLINGTON, VA 22203			WACHSMAN, HAL D	
			ART UNIT	PAPER NUMBER
			2857	

DATE MAILED: 07/06/2005

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

②

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

ART UNIT	PAPER
----------	-------

06302005

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Hal D Wachsman
Primary Examiner
Art Unit: 2857

1. The reply filed on 5-5-05 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s):

a) The new additional drawing sheet filed 5-5-05 containing new figures 3A and 6 is improper under 37 C.F.R. 1.121 because the drawing sheet is not labeled in the top margin as "New Sheet". In addition, the new drawing sheet is objected to because it contains an embedded hyperlink and/or other form of browser-executable code. Applicant is required to delete the embedded hyperlink and/or other form of browser-executable code. See MPEP § 608.01. Appropriate correction is required.

b) The substitute specification filed 5-5-05 is improper under 37 C.F.R. 1.125 because in line 1 of paragraph 0087 of the marked-up copy of the substitute specification the word "Figures" in the original specification has been changed to "FIGS." without the appropriate mark-up to show the change. Also in the marked-up copy of the substitute specification paragraph numberings have been amended without showing the old paragraph numbering with strikethrough for example as a mark-up. Appropriate correction is required.

c) Page 3 of the reply filed 5-5-05 indicates to replace the abstract with the attached new abstract. However, no new abstract has been found attached with the reply of 5-5-05. Appropriate correction is required.

d) Claim 14 is improper under 37 C.F.R. 1.121 because the status identifier indicates "(original)" however this claim was amended in an earlier amendment paper and thus the correct status identifier for this claim is "(Previously


presented)". In addition, the Examiner respectfully notes that new claim 33 states "The *method* of claim 28..." and new claim 34 states "The *method* of claim 29..." however the claims from which they depend are **system** claims. Appropriate correction is required.

2. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. **EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).**

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hal D. Wachsman whose telephone number is 571-272-2225. The examiner can normally be reached on Monday to Friday 7:00 A.M. to 4:30 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marc Hoff can be reached on 571-272-2216. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Hal D Wachsman
Primary Examiner
Art Unit 2857

HW
July 1, 2005